

/ zenn.

BERRY  ALLOC

COFFEE: 2.9	TEA: 1.3
ESPRESSO: 2.9	CHAI: 1.3
MACCHIATO: 3	COLD BREW: 3
AMERICANO: 2.9	ICED TEA: 2.9
FLAT WHITE: 3.9	BELFAST BREW: 3
LATTE: 4	ORIENTAL: 2.9
CAPPUCINO: 3.9	CHAMOMILE: 2
BUCHAL: 4	APPLE RYAN: 4

vinyl planks & tiles.

 **blackheath**
Employee Owned Trust



**Floors for a
lifetime of joy.**

Vinyl planks & tiles for every project, from moderate to intensive use.

Planks or tiles. Herringbone or concrete-look. Glue down or click installation. New-build or renovation. In your home or in a commercial. With (click) or without integrated underlay (glue down).

Whatever you're looking for, Zenn offers a perfect solution. Offering all the perks of a vinyl floor, this collection brings the most beautiful and authentic look of nature. Regardless of your choice, it's quality and beauty right under your feet.

Responsible floors	06
Carefree moments	08
Quality moments	10
Beautiful moments	12
Collection overview	14
Install	21
Finish	22
Maintain	23
Technical overview	26

A floor fit for any project. You choose!

Choose your favourite decor:

from warm, natural decors that are as realistic as they are soft to touch: eight wood-look planks and four stone-look tiles.

Choose your wear layer thickness:

0.30 mm for moderate use (Zenn 30) or 0.55 mm for intensive use (Zenn 55).


Choose your preferred installation method:

click (Valinge 2G for Zenn 30 click) or glue down.

Choose your format:

tile, standard plank or herringbone pattern* (only available in Zenn 55, in click or glue down).

A full overview of the Zenn collection is available on p. 14-15.



Responsible floors.

Besides offering comfort, we also take extra care to respect nature in producing our Zenn collection. We strive to create as little waste as possible during the manufacturing process and the floors are **recyclable** at the end of their life. They can also be installed safely and securely in your home or workplace, supported by various reputable certifications such as Eurofins Indoor Air Comfort Gold, FloorScore® Indoor Air Quality and the A+ certification.



Our sustainability certifications

Our vinyl planks & tiles carry a number of sustainability certifications. Discover them below.

BREEAM INTERNATIONAL

Our vinyl planks & tiles contribute by earning up to 17 BREEAM credits in five different categories.

Environmental Product Declaration (EPD)

We have an EPD available for our vinyl planks & tiles in accordance with ISO 14025 and EN 15804.



Please refer to our website for the full technical data sheet and more info:
www.berryalloc.com



Carefree moments.

Real life doesn't always go according to plan. Fortunately, something you won't need to worry about is your floor.



Vinyl planks & tiles with a rigid core

Our vinyl planks & tiles of the Zenn collection have a stone composite core (also known as rigid core). These worry-free floors are waterproof, scratch-resistant, highly stable and durable. In short, Zenn offers the benefits of a traditional vinyl floor with the soothing, authentic look of nature, seamlessly blending into any interior and lifestyle.



Completely waterproof and stain-resistant

Had a clumsy moment? Not to worry, our vinyl planks and tiles are all fully waterproof, and capable of withstanding all forms of spills. What's more, they are UV-resistant, meaning you won't be left with any sun spots – so let the sunshine in!



Scratch-resistant

Wondering how your new floor will deal with lots of footfall, office chairs, pet paws, toys, etc.? Spoiler alert: with ease! Our Zenn floors are extremely scratch-resistant, thanks to our use of high-quality materials.



Quality moments.

Enjoy quality time on a floor made to meet only the highest standards.



Ideal for underfloor heating and cooling

Besides creating a lovely atmosphere, this technical floor does add to your overall comfort. Warm, cool or cosy, we've got you covered! Suitable for underfloor heating and cooling, they offer an energy-efficient solution to keeping your space pleasantly warm or cool.



Acoustic comfort

Zenn comes with a comfortable, soft top layer, designed to **absorb and reduce noise**. As a result, your footsteps, as well as those of others in the same room or above, will be quieter on the ears. Looking for that extra bit of quiet? The Zenn rigid click planks and tiles have you covered! Its integrated underlay reduces footstep and ambient noise levels, resulting in a decrease of **19 decibels** in transmission sound.



decor: Palermo
available in planks & herringbone



decor: Oslo
available in planks & herringbone



Made for life, whether at home or at work

Choose value for money with this high quality vinyl flooring. Zenn is crafted from premium materials and is rigorously tested for strength, waterproof, splash-resistance, impact damage, (colour) fading, stability and wear. If you need a solid foundation, look no further. Zenn is made to last a lifetime – backed by residential warranties ranging from 15 years to a lifetime and commercial warranties varying from 3 to 10 years based on the chosen wear layer.

	Residential use warranty	Commercial use warranty
Zenn 30 click 0.30 mm wear layer	20 years	5 years
Zenn 55 glue down 0.55 mm wear layer	Lifetime	10 years

Beautiful moments.

Enjoy beautiful moments with floors that brings you one step closer to nature. They look natural and feel natural!



Authentic wood and stone looks

Get lost in the details of our wonderfully matt and lifelike wood and stone decors. You can hardly tell the difference from the real thing. Our Belgian team of experts carefully select and design every shade and decor, resulting in the most authentic possible looks. Oh, and you can even extend these looks by incorporating matching skirtings and profiles to finish.



WOOD
STRUCTURE

STONE
STRUCTURE



decor: Monsanto
available in planks & herringbone



A wow-effect for your project

Get that wow-factor with a beautiful **herringbone floor pattern**. Find your perfect match from eight different wood tones, from distinctive, rustic woods to more uniform looks in soft oak accented with minimalist knots.

Want to know **which colours work together?**
Learn more on p. 16.

Colours inspired by nature

Colour is essential for a beautiful interior. Our range of floors offers a wide colour palette to suit every taste, from light to dark, with all shades of beige, brown, grey and everything in between – all created with a nod towards nature. Looking to bring a sense of harmony to your interior? Besides the perfect shade of flooring, you will find the colours to go with it. Having a hard time choosing? Harmony Lab are here to help you choose and combine the most beautiful colours possible.



Collection overview.

Vinyl planks



These decors are also available in herringbone.

- | | | |
|--|--|--|
| <p>1. Sorrento
Rigid click 30 60002205
Glue down 55 60002250
HB glue down 55 60002262
CC* ● yellow</p> | <p>4. Orlando
Rigid click 30 60002207
Glue down 55 60002252
HB glue down 55 60002264
CC* ● yellow</p> | <p>7. Porto
Rigid click 30 60002210
Glue down 55 60002255
HB glue down 55 60002267
CC* ● orange
CC* ● red</p> |
| <p>2. Faro
Rigid click 30 60002212
Glue down 55 60002257
HB glue down 55 60002269
CC* ● yellow</p> | <p>5. Monsanto
Rigid click 30 60002206
Glue down 55 60002251
HB glue down 55 60002263
CC* ● yellow
CC* ● orange</p> | <p>8. Palermo
Rigid click 30 60002209
Glue down 55 60002254
HB glue down 55 60002266
CC* ● orange
CC* ● red</p> |
| <p>3. Oslo
Rigid click 30 60002208
Glue down 55 60002253
HB glue down 55 60002265
CC* ● blue
CC* ● purple</p> | <p>6. Cairo
Rigid click 30 60002211
Glue down 55 60002256
HB glue down 55 60002268
CC* ● yellow
CC* ● orange</p> | |

*CC: colour character - for more information, head over to page 16 - 17.

Vinyl tiles



- | | | | |
|---|---|---|--|
| <p>1. Delhi
Rigid click 30 60002213
Glue down 55 60002258
CC* ● yellow</p> | <p>2. Bali
Rigid click 30 60002214
Glue down 55 60002259
CC* ● yellow
CC* ● purple</p> | <p>3. Rimini
Rigid click 30 60002215
Glue down 55 60002260
CC* ● blue
CC* ● purple</p> | <p>4. Fuji
Rigid click 30 60002216
Glue down 55 60002261
CC* ● blue</p> |
|---|---|---|--|



decor: Rimini


Choosing the right colours for your interior.

Although the colour of your floor seems fairly obvious at first sight, it has a whole layer of subtle undertones. This underlying shade is called **the colour character** of your floor. **Harmony Lab** will help you to match this with the colour scheme of your interior.

How it works

The colour character of our floors are categorised in 6 colour groups:


- yellow
- orange
- red
- purple
- blue
- green



Harmonious colours



Contrasting colours



Once you know the colour character, the **chromatic colour wheel** will guide you in your decisions.

Using **harmonious colours** means using colours on the colour wheel that are either the same colour or the neighbouring colour of your floor's colour character. For example: if your floor has a blue character, this means using variations of blue, green, and purple.

Using **contrasting colours** means using colours that are directly opposite to your floor's colour character on the chromatic colour wheel. For example: if your floor has a yellow character, offset it with purple elements in your interior.


You can find the colour character for every decor of our vinyl planks & tiles on p. **14-15**.



Are you having difficulty imagining your new floor in your own room? **Floorfit** has got you covered. This **digital tool** simulates your top picks in a room of your choice. Take a moment to try out your favourite choices and figure out what suits your style best!


Imagine Zenn in your own interior with Floorfit.

Find out how it works:




Snap

Take a photo of your room and **upload** it to **Floorfit**. Or choose from a range of standard rooms in the tool.



Select

Choose the **colour** you want to visualise through the built-in filters. Don't forget to select a laying direction and pattern.



Floorfit

Have you found your dream floor? **Share** your final look with family and friends, or get in touch with your **local BerryAlloc dealer** for the next step.



What are you waiting for?
Floorfit it out!




Choose colours that make you happy.



Install.

You've just picked out your new floor. **What's next?** Now's the moment to determine **which products** you need in your installation and decoration journey. These will help your floor achieve that wow-factor and provide you with optimal living comfort.



Easy to install: quick, simple and stable

Whether click or glue down, installation is both quick and easy. Want an **extremely stable** floor? Glue down planks and tiles are ideal for moderate to intensive use in both residential and commercial settings. Need quick installation? The Zenn rigid click planks and tiles have an integrated underlay, correcting any unevenness, meaning less preparation and speedy installation.



Renovation-friendly floors

Zenn's high-quality and high-strength properties guarantee **outstanding levels of stability**. Install vinyl planks and tiles directly on top of existing floors, such as ceramic tiles – and you won't see a trace of the old floor. This will save you a great deal of preparation and installation time, with the end result being a floor that is as uniform and as it is extremely stable.



Finish.

Skirtings

It's time to add that final bit of flair! Our skirtings bring a touch of elegance, seamlessly bridging the gap between the wall and your floor. You can choose between skirtings that match your new floor perfectly or white, paintable skirting to match with your wall colour.



Match your floor

Profiles

Don't forget the finishing touch! Choose profiles that smoothly connect one room to the other while respecting the expansion gap requirements. From matching colours to modern aluminium, there's a profile to suit every style. Let's make your space shine!

TIP

Matching skirtings will make your floor seem larger whereas paintable skirtings will make your walls seem longer.



Maintain.

Make those moments of joy on your new floor last longer by regularly using our specially developed **Berryalloc PU protector & Berryalloc cleaner**. It gives your floor an extra layer of protection and ensures it looks spotless at all times.



**BerryAlloc
PU protector &
cleaner**

1 litre



Scan & discover
Myfloorstyle

Questions? We've got answers.

There are a lot of things to think about when choosing and planning to install a new floor. And maybe you've still got some questions left unanswered. **Myfloorstyle** has the inspiration and information to make your decoration journey a true joy.

With Myfloorstyle, we guide you through every step towards your dream floor. We threw our experience and expertise on the table to answer all your flooring and interior questions.

Find the answers in 3 categories:



Choosing my floor

Find out which floor best suits your interior and lifestyle.



Interior & colour

Discover which styles and decorations are best put together to create your dream interior.




Practical advice

You've chosen your floor, but still have practical questions? Here you will find the answers you are looking for.













*myfloor
style*



Technical overview.

Technical	ZENN 30	ZENN 55	ZENN 55 Herringbone
	Rigid click with integrated underlay	Glue down	Glue down
Wearlayer (mm)	0,30 mm	0,55 mm	
Embossing	Wood & stone emboss	Wood & stone emboss	Wood emboss
Thickness (mm)	4 + 1	2,5	
Integrated underlay	✓	No	
Lock		No	
Class	23/32	23/33/42	
Commercial warranty	5 years	10 years	
Residential warranty	20 years	Lifetime	
Test results			
Underfloor heating	suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m2	suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m2	
Castor chair	pass	pass	
Fire resistance	Bfl-s1	Bfl-s1	
Light fastness	> 6	> 6	
Chemical resistance	OK	OK	
Residual indentation	< 0,1 mm	< 0,1 mm	
Thermal resistance	0,025 m²K/W	0,010 m²K/W	
Slip resistance	R10	R10	
	class DS	class DS	
Sound reduction: impact sound	19 dB	2dB	
Dimensional stability	< 0,15 % - pass	< 0,15 % - pass	
Lock Strength	> 1,5 kN/m - pass	/	
Planks & herringbone			
	ZENN 30	ZENN 55	ZENN 55 Herringbone
Planks m² per pack	2,17 m²	4,34 m²	4,46 m²
Planks per pack	10 pieces	20 pieces	64 pieces
m² per pallet	97,55 m²	195,09 m²	187,29 m²
Dimensions	L 1219,2 x W 177,8 mm	L 1219,2 x W 177,8 mm	L 609,6 x W 114,3 mm
Tiles			
	ZENN 30	ZENN 55	
Tiles m² per pack	2,51 m²	1,67 m²	4,18 m²
Tiles per pack	6 pieces	4 pieces	10 pieces
m² per pallet	100,33 m²	83,61 m²	192,31 m²
Dimensions	L 914,4 x W 457,2 mm	L 914,4 x W 457,2 mm	

Decor overview.

		ZENN 30	ZENN 55	ZENN 55 Herringbone
		Rigid click with integrated underlay	Glue down	Glue down
	Sorrento	60002205	60002250	60002262
	Monsanto	60002206	60002251	60002263
	Orlando	60002207	60002252	60002264
	Oslo	60002208	60002253	60002265
	Palermo	60002209	60002254	60002266
	Porto	60002210	60002255	60002267
	Cairo	60002211	60002256	60002268
	Faro	60002212	60002257	60002269
	Delhi	60002213	60002258	
	Bali	60002214	60002259	
	Rimini	60002215	60002260	
	Fuji	60002216	60002261	

Accessories overview.

Install.

Fixing accessories (for skirtings)	
Clips	Glue
9310-0017	HPGLUE

Finish.

	Matching		
	Skirting	T-Profile	
	Length	1180 mm	900 mm
Width	12 mm	36 mm	36 mm
Height	60 mm	9,5 mm	9,5 mm
Sorrento	63003529	63003585	
Monsanto	63003530	63003586	
Orlando	63003531	63003587	
Oslo	63003532	63003588	
Palermo	63003533	63003589	
Porto	63003534	63003590	
Caïro	63003535	63003591	
Faro	63003536	63003592	
Delhi	63003537		63003593
Bali	63003538		63003594
Rimini	63003539		63003595
Fuji	63003540		63003596

White / Paintable					
Skirtings					Quarter round
2400 mm	2400 mm	2400 mm	2400 mm	2400 mm	2400 mm
12 mm	12 mm	14 mm	14 mm	26 mm	14 mm
60 mm	80 mm	100 mm	110 mm	110 mm	14 mm
63001756	63001776	9372-3045	9370-3045	63001781	63001736

	Aluminium		
	Skirting	Reducer profile	End profile
	Length	2000 mm	2000 mm
Width	34 mm	38 mm	24 mm
Height	6,5 mm	6,5 mm	6,5 mm
Silver	63000576	63000573	63000579
Bronze	63000578	63000575	63000581
Champagne	63000577	63000574	63000580

Maintain.

Cleaner	PU protect
63000772	63000773



Found your dream floor?

Write it down here

DECOR NAME(S)

--	--	--

SUB COLLECTION(S)

zenn 30

zenn 55

zenn 55 HB

REFERENCE NUMBER(S)

You'll find the reference number on p. 14-15

--	--	--

THESE ARE MY ROOM MEASUREMENTS

length x width (metres)

x	=	m ²
x	=	m ²

SQUARE METRES OF FLOORING REQUIRED

--	--	--

I'LL NEED THESE ACCESSORIES FOR A SUCCESSFUL INSTALLATION

HP Glue (only for zenn 55 & zenn 55 HB)

skirting clips


PU protector

profiles

skirtings

cleaner





Floors for moments of joy.

designed  in Belgium

BERRY  **ALLOC**

 **blackheath**
Employee Owned Trust

Blackheath Products Ltd
Units 1-4 Fairfield Park
Halesowen
West Midlands
B62 9JL
Tel: 0121 561 4245